

# AUTOMATIC HOCK CUTTER

## Model AHC2



**The Jarvis Model AHC2 - hydraulically operated hock cutter for sheep.**

# JARVIS

- Twin cutters provide maximum efficiency, up to 10 sheep per minute, or 600 per hour.
- Hydraulically adjustable, cut height control feature - for optimal yields.
- Solid stainless steel construction.
- Full internal sterilization system.
- Cost effective; used for fore and hind leg cutting.
- Easy to clean and maintain.
- Fully automatic.



**ECONOMICAL - HEAVY DUTY - HIGH PERFORMANCE**

# AUTOMATIC HOCK CUTTER

## Model AHC2

### Specifications

|                                                        |                                 |                  |
|--------------------------------------------------------|---------------------------------|------------------|
| Drive                                                  | Hydraulic                       |                  |
| <b>Model AHC2</b>                                      |                                 |                  |
| Capacity (maximum)                                     | 10 / minute                     | 600 / hour       |
| Controls                                               | Automatic, no operator required |                  |
| Overall Dimensions (l x w x h)                         | 29.5 x 21.7 x 61 in             | 75 x 55 x 155 cm |
| Air Consumption (per second @ 102 psi / 7.0 bar)       | 0.159 ft <sup>3</sup>           | 4.5 L            |
| Hot / Cold Water Supply (per cycle @ 44 psi / 3.0 bar) | 0.13 gal                        | 0.5 L            |
| Weight                                                 | 154 lbs                         | 70 kg            |

### Hydraulic Power Unit

|                                        |                       |                  |
|----------------------------------------|-----------------------|------------------|
| Motor Power                            | 7.4 hp                | 5500 W           |
| Operating Voltage                      | 415 V, 3 phase, 50 Hz |                  |
| Hose Length                            | 9.8 ft                | 3.0 m            |
| Oil Capacity                           | 26 gal                | 100 L            |
| Water Flow Rate* (at 43.5 psi / 3 bar) | 0.47 in               | 12 mm            |
| * Rate varies                          |                       |                  |
| Overall Dimensions (l x w x h)         | 27.6 x 19.7 x 39.4 in | 70 x 50 x 100 cm |
| Weight                                 | 220.5 lbs             | 100 kg           |
| Oil Viscosity at 100° F / 40° C        | 200 SUS               | 46 ISO           |

### Equipment Selection and Accessories

### Order Number

|                                                 |                                                        |         |
|-------------------------------------------------|--------------------------------------------------------|---------|
| Model AHC2                                      |                                                        |         |
|                                                 | Double Fixed Cutter                                    | 4025168 |
|                                                 | Double Cutter with camera controlled height adjustment | 4025169 |
| Hydraulic Power Unit with control box and hoses |                                                        |         |
|                                                 | 415 V, 3 phase, 50 Hz                                  | 4027374 |
| Blade                                           |                                                        | 1023366 |



Products for the meat and poultry industry

Jarvis Products Corporation · 33 Anderson Road · Middletown, CT 06457-4926 · United States of America  
 Telephone (860) 347-7271 · Fax (860) 347-9905 · sales@jarvisproducts.com · www.jarvisproducts.com